

1/5




FIG. 1




FIG. 2

2/5




FIG. 3




FIG. 4

3/5




FIG. 5

```

domain: Manufacturer
oneshot:
javax.microedition.sonyericsson.CoolNativefunction

level: 1
session:
javax.microedition.sonyericsson.CoolNativefunction

ca: Sony Ericsson R&D CA
session:
javax.microedition.sonyericsson.CoolNativefunction

end-entity: Sony Ericsson Core Java Team
allow:
javax.microedition.sonyericsson.CoolNativefunction

```

FIG. 6B

Security policy structure

Domain (Manufacturer, Operator, Third party, Untrusted):
Organisation_A

Access level (Allowed, Blanket, Session, One shot):
Function_A

Access level (Allowed, Blanket, Session, One shot):
Function_B

Level OID (0, 1, 2): level value
Access level (Allowed, Blanket, Session, One shot):
Function_B

CA (Signature of any certificate): Organisation_D
Access level (Allowed, Blanket, Session, One shot):
Function_A

Signature of end entity certificate: Organisation_C
Access level (Allowed, Blanket, Session, One shot):
Function_B

.....

Policy update

Domain (Manufacturer, Operator, Third party, Untrusted):
Organisation_A

Signature of end entity certificate: Organisation_C

.....

Validity: Not before date_A; Not after date_B

Revocation information

FIG. 6A

5/5




FIG. 7